

Referral Status:		MRN:	
<input type="checkbox"/> New referral	<input type="checkbox"/> Order change	<input type="checkbox"/> Order Renewal	
Patient preferred clinic:			

Opdivo[®] (nivolumab) Plan of Treatment

PATIENT DEMOGRAPHICS:

Date of Referral:		Patient's Phone:	
Patient Name:		Address:	
Date of Birth:		City, State, Zip:	
Height in inches:	Weight: LB or KG	Gender:	Allergies: <input type="checkbox"/> See list <input type="checkbox"/> NKDA

DIAGNOSIS: (PLEASE COMPLETE 2ND AND 3RD DIGITS TO COMPLETE ICD 10 FOR BILLING)

<input type="checkbox"/> C34.90 - Non-Small Cell Lung Cancer	<input type="checkbox"/> C67.9 - Urothelial Carcinoma
<input type="checkbox"/> C81.90 - Classical Hodgkin Lymphoma	<input type="checkbox"/> C18.9 - Colorectal Carcinoma
<input type="checkbox"/> C15.9 - Gastroesophageal Carcinoma	<input type="checkbox"/> C16.9 - Gastric Carcinoma
<input type="checkbox"/> C43.9 - Melanoma	<input type="checkbox"/> C15.9 - Esophageal Carcinoma
<input type="checkbox"/> C45.0 - Unresectable Malignant Pleural Mesothelioma	<input type="checkbox"/> C64.____ - Renal Cell Carcinoma
Other: _____	

REQUESTED DOCUMENTATION:

PREVIOUS ADMINISTRATION: HAS THIS PATIENT TAKEN THIS MEDICATION BEFORE?

1	Insurance information	IF NO:	IF YES:
2	Most recent History & Physical	PLEASE STATE	LAST INFUSION DATE:
3	Full medication list	REQUIRED WASHOUT	NEXT INFUSION DATE:
4	Tried and failed therapies	FROM PREVIOUS	IF ORDER CHANGE:
5	Recent CBC	THERAPY:	
6			
			Continue current order until insurance approved

MEDICATION ORDERS:

NOTE: Patient may be ineligible to receive nivolumab if experiencing severe (grade 3) immune-mediated adverse reactions.

MEDICATION:

OPDIVO[®] (nivolumab) IV given over 30 minutes diluted in 160mL NS or 5% Dextrose according to FDA labeling.

Premedication: _____
 Premedication to be given 30 minutes prior to infusion unless otherwise noted above

DOSE/FREQUENCY:

240mg every 2 weeks
 400mg every 6 weeks
 Other: _____

SPECIAL ORDERS:

Prescriber is responsible for monitoring lab results/abnormalities including pregnancy screening, if applicable. Please ensure timely notification if a hold on therapy is indicated.

Refills x 12 months unless noted otherwise here:

LINE USE/CARE ORDERS:

- Start PIV/Access CVC
- Flush device per facility standard flushing procedure

ADVERSE REACTION & ANAPHYLAXIS ORDERS:

Administer acute infusion and anaphylaxis medications per Palmetto Infusion standing adverse reaction orders, which can be found at our website or scan here.



PRESCRIBER INFORMATION:

PROVIDER NAME:	PHONE:
ADDRESS:	FAX:
CITY, STATE, ZIP:	NPI:

PRESCRIBER SIGNATURE: (No stamp signatures)

DATE:

Dispense as written/Brand medically necessary	Substitution permitted